

# CEREAL CHEMISTRY®

## Author Index to Volume 82

- Aamodt, A., E. M. Magnus, and E. M. Fægestad. Hearth bread characteristics: Effect of protein quality, protein content, whole meal flour, DATEM, proving time, and their interactions, 290
- Abécassis, J. *See* V. Greffeuille, 138
- , *See* M.-F. Samson, 81
- Adewusi, S. R. A. *See* M. S. Falade, 479
- Agbisit, R. M. *See* K. D. Rausch, 431
- Ahlborn, G. J., O. A. Pike, S. B. Hendrix, W. M. Hess, and C. S. Huber. Sensory, mechanical, and microscopic evaluation of staling in low-protein and gluten-free breads, 328
- Ajo, R. *See* A. Amr, 499
- Altpeter, F. *See* H. Wieser, 594
- Ames, N. *See* C. Rhymer, 197
- Amr, A., and R. Ajo. Production of two types of pocket-forming flat bread by the sponge and dough method, 499
- Anastasio, M. *See* O. Pepe, 239
- Añón, M. C. *See* M. C. Puppo, 173
- Aramaki, I. *See* M. Okuda, 361
- Archibald, D. D. *See* M. Sohn, 660
- Arendt, E. K. *See* D. F. McCarthy, 609
- , *See* T. J. Schober, 394
- Aussenac, T. *See* E. Lemelin, 28
- Baier-Schenk, A., S. Handschin, and B. Conde-Petit. Ice in prefermented frozen bread dough—an investigation based on calorimetry and microscopy, 251
- Baik, B.-K. *See* Z. Quinde-Axtell, 711
- Bamforth, C. W. *See* A. Sun, 621
- Bargren, G. L. *See* G. S. Murthy, 302
- Barker, W. *See* D. W. Hatcher, 233
- Bar L'Helgouac'h, C. *See* V. Greffeuille, 138
- Barrett, A. H., G. Marando, H. Leung, and G. Kaletunç. Effect of different enzymes on the textural stability of shelf-stable bread, 152
- Barton, F. E., III. *See* M. Sohn, 660
- Batey, I. L. *See* M. C. Gianibelli, 321
- Bautista, R. C. *See* P. A. Counce, 645
- Bean, S. R. *See* T. J. Schober, 394
- Bechtel, D. B., and J. D. Wilson. Endosperm structural changes in wheat during drying of maturing caryopses, 385
- Behall, K. M., and D. J. Scholfield. Food amylose content affects postprandial glucose and insulin responses, 654
- Behnke, K. C. *See* W. B. Cavalcanti, 455, 462
- Bejosano, F. P., S. Joseph, R. M. Lopez, N. N. Kelekci, and R. D. Waniska. Rheological and sensory evaluation of wheat flour tortillas during storage, 256
- Belefant-Miller, H., M. G. Kay, and F. N. Lee. Small-scale induction of postharvest yellowing of rice endosperm, 721
- Belyea, R. L. *See* K. D. Rausch, 431
- , *See* V. Singh, 187
- , *See* R. Srinivasan, 528
- BeMiller, J. N. *See* X.-Z. Han, 351
- Benmoussa, M. *See* X.-Z. Han, 351
- Bergman, C. J. *See* M.-H. Chen, 4
- , *See* P. A. Counce, 645
- Bern, C. J. *See* K. A. Rosentrater, 436
- Beta, T., S. Nam, J. E. Dexter, and H. D. Sapirstein. Phenolic content and antioxidant activity of pearled wheat and roller-milled fractions, 390
- Bett-Garber, K. L. *See* E. T. Champagne, 369
- Biswas, A., D. J. Sessa, J. W. Lawton, S. H. Gordon, and J. L. Willett. Microwave-assisted rapid modification of zein by octenyl succinic anhydride, 1
- Blancher, G., M. H. Morel, E. Gastaldi, and B. Cuq. Determination of surface tension properties of wheat endosperms, wheat flours, and wheat glutens, 158
- Bonet, A., P. A. Caballero, M. Gómez, and C. M. Rosell. Microbial transglutaminase as a tool to restore the functionality of gluten from insect-damaged wheat, 425
- Briggs, J. L. *See* M. E. Camire, 666
- Brown, D. *See* C. Rhymer, 197
- Bruckner, P. *See* R. McLean, 559
- Bryant, R. J., J. A. Dorsch, K. L. Peterson, J. N. Rutger, and V. Raboy. Phosphorus and mineral concentrations in whole grain and milled low phytic acid (*lpa*) 1-1 rice, 517
- , *See* P. A. Counce, 645
- Byaruhanga, Y. B., C. Erasmus, and J. R. N. Taylor. Effect of microwave heating of kafirin on the functional properties of kafirin film, 565
- Byrd, J. E., and M. J. Perona. Kinetics of popping of popcorn, 53
- Caballero, P. A. *See* A. Bonet, 425
- Calvelo, A. *See* M. C. Puppo, 173
- Cameron, D. K., and Y.-J. Wang. A better understanding of factors that affect the hardness and stickiness of long-grain rice, 113
- Camire, M. E., M. P. Dougherty, and J. L. Briggs. Antioxidant-rich foods retard lipid oxidation in extruded corn, 666
- Carbone, B. F. *See* T. De Pilli, 494
- Castro, M. *See* M. Dalla Rizza, 287
- Cavalcanti, W. B., and K. C. Behnke. Effect of composition of feed model systems on pellet quality: A mixture experimental approach. I, 455
- , and —. Effect of composition of feed model systems on pellet quality: A mixture experimental approach. II, 462
- Champagne, E. T., K. L. Bett-Garber, J. Thompson, R. Mutters, C. C. Grimm, and A. M. McClung. Effects of drain and harvest dates on rice sensory and physicochemical properties, 369
- Chaney, S. R. *See* P. Yang, 420
- Chang, P. R. *See* N. Lindeboom, 216, 246
- Chelkowski, J. *See* B. J. Dobraszczyk, 182
- Chen, F. *See* L. Xia, 38
- Chen, M.-H., and C. J. Bergman. Influence of kernel maturity, milling degree, and milling quality on rice bran phytochemical concentrations, 4
- Chen, X. *See* L. Xia, 38
- Chéret, R. *See* M.-F. Samson, 81
- Chibbar, R. N. *See* N. Lindeboom, 246
- Chung, K. M. *See* S. Kwon, 101
- Chung, O. K. *See* S.-H. Park, 166
- Chung, Y.-L., and H.-M. Lai. Water-barrier property of starch films investigated by magnetic resonance imaging, 131
- Clevenger, T. E. *See* K. D. Rausch, 431
- Conde-Petit, B. *See* A. Baier-Schenk, 251
- Cordeiro, H. *See* K. R. Preston, 15
- Cotta, M. A. *See* B. S. Dien, 616
- , *See* N. N. Nichols, 554
- Counce, P. A., R. J. Bryant, C. J. Bergman, R. C. Bautista, Y.-J. Wang, T. J. Siebenmorgen, K. A. K. Moldenhauer, and J.-F. C. Meullenet. Rice milling quality, grain dimensions, and starch branching as affected by high night temperatures, 645
- Cuq, B. *See* G. Blancher, 158
- Dalla Rizza, M., P. Díaz Dellavalle, D. Vázquez, and M. Castro. Note: Improved resolution of nonsilica-based size-exclusion HPLC column for wheat flour protein analyses, 287
- da Silva, L. S., and J. R. N. Taylor. Physical, mechanical, and barrier properties of kafirin films from red and white sorghum milling fractions, 9
- Daugherty, B. J. *See* K. D. Rausch, 431
- de Kock, S. *See* J. Taylor, 485
- Delcour, J. A. *See* V. Derycke, 468
- Dell, B. *See* M. Leesawatwong, 588
- Della Valle, G. *See* J. Rouillé, 20
- De Man, W. *See* V. Derycke, 468
- De Pilli, T., R. Giuliani, B. F. Carbone, A. Derossi, and C. Severini. Study on different emulsifiers to retain fatty fraction during extrusion of fatty flours, 494
- Derossi, A. *See* T. De Pilli, 494
- Derycke, V., W. S. Veraverbeke, G. E. Vandepitte, W. De Man, R. C. Hosney, and J. A. Delcour. Impact of proteins on pasting and cooking properties of nonparboiled and parboiled rice, 468
- Devaux, M. F. *See* J. Rouillé, 20
- Dexter, J. E. *See* T. Beta, 390
- , *See* D. W. Hatcher, 60
- Díaz Dellavalle, P. *See* M. Dalla Rizza, 287

- Dien, B. S., D. B. Johnston, K. B. Hicks, M. A. Cotta, and V. Singh. Hydrolysis and fermentation of pericarp and endosperm fibers recovered from enzymatic corn dry-grind process, 616  
—, See N. N. Nichols, 554
- Ding, X. See A. Hagenimana, 70
- Dobraszczyk, B. J., B. P. Salmanowicz, B. Lągowska, and J. Chelkowski. Rapid quality assessment of wheat cultivars registered in Poland using the 2-g mixograph and multivariate statistical analysis, 182
- Doehlert, D. C. See N. Vignaux, 93
- Dolan, K. D. See A. H. Schmid, 305
- Dorsch, J. A. See R. J. Bryant, 517
- Dougherty, M. P. See M. E. Camire, 666
- Dubreil, L. See J. Rouillé, 20
- Duguid, S. See C. Rhymer, 197
- Dutton, M. F. See J. Taylor, 485
- Duvick, S. A. See M. P. Scott, 546
- Eckhoff, S. R. See P. Yang, 420  
—, See Z. Zhang, 447
- Edwards, N. M. See O. Harada, 314
- Egan, N. E. See M. J. Sissons, 601
- Elias, E. M. See N. Vignaux, 93
- Eliasson, A.-C. See I. Mira, 44
- Erasmus, C. See Y. B. Byaruhanga, 565
- Eustace, D. W. See R. A. Flores, 727
- Færgestad, E. M. See A. Aamodt, 290
- Falade, M. S., O. Owoyomi, C. E. Harwood, and S. R. A. Adewusi. Chemical composition and starch hydrolysis of *Acacia colei* and *Acacia tumida* seeds, 479
- Falk, K. C. See N. Lindeboom, 216
- Faulds, C. B. See A. Sun, 621
- Feng, H. See Z. Zhang, 447
- Flores, R. A., K. B. Hicks, D. W. Eustace, and J. Phillips. High-starch and high- $\beta$ -glucan barley fractions milled with experimental mills, 727  
—, See K. A. Rosentrater, 436
- Formato, A., and O. Pepe. Pizza dough differentiation by principal component analysis of alveographic, microbiological, and chemical parameters, 356
- Fulcher, R. G. See H. Lei, 574, 582
- Gallagher, E. See D. F. McCarthy, 609
- Gastaldi, E. See G. Blancher, 158
- Gelencsér, T. See R. S. Juhász, 488
- Gellrich, C., P. Schieberle, and H. Wieser. Studies of partial amino acid sequences of  $\gamma$ -40k secalins of rye, 541
- Gergely, S. See R. S. Juhász, 488
- Gianibelli, M. C., M. J. Sissons, and I. L. Batey. Effect of source and proportion of waxy starches on pasta cooking quality, 321  
—, See M. J. Sissons, 601
- Giuliani, R. See T. De Pilli, 494
- Godwin, I. D. See L. Izquierdo, 706
- Gómez, M. See A. Bonet, 425
- Gordon, S. H. See A. Biswas, 1
- Gormley, T. R. See D. F. McCarthy, 609
- Grant, L. A. See N. Vignaux, 93
- Gray, J. A. See X.-Z. Han, 351
- Greffeuille, V., J. Abecassis, C. Bar L'Helgouac'h, and V. Lullien-Pellerin. Differences in the aleurone layer fate between hard and soft common wheats in grain milling, 138
- Grimm, C. C. See E. T. Champagne, 369
- Guttieri, M. J. See R. McLean, 559
- Habernicht, D. K. See R. McLean, 559
- Hagenimana, A., and X. Ding. A comparative study on pasting and hydration properties of native rice starches and their mixtures, 70
- Haken, A. E. See P. Yang, 420
- Hamaker, B. R. See X.-Z. Han, 351  
—, See G. Zhang, 534
- Han, J.-A., B.-H. Lee, W. J. Lim, and S.-T. Lim. Utilization of hydroxypropylated waxy rice and corn starches in Korean waxy rice cake to retard retrogradation, 88
- Han, X.-Z., M. Benmoussa, J. A. Gray, J. N. BeMiller, and B. R. Hamaker. Detection of proteins in starch granule channels, 351
- Handschin, S. See A. Baier-Schenk, 251
- Hanna, M. A. See Y. Xu, 105, 336
- Harada, O., E. D. Lysenko, N. M. Edwards, and K. R. Preston. Effects of commercial hydrolytic enzyme additives on Japanese-style sponge and dough bread properties and processing characteristics, 314
- Harwood, C. E. See M. S. Falade, 479
- Hashizume, K. See M. Okuda, 361
- Hatcher, D. W. Impact of a reduced wheat meal sample size on the falling number test, 450  
—, and W. Barker. A rapid microassay for determination of peroxidase in wheat and flour, 233  
—, S. Lagasse, J. E. Dexter, B. Rosnagel, and M. Izdorczyk. Quality characteristics of yellow alkaline noodles enriched with hull-less barley flour, 60  
—, See K. R. Preston, 15
- Hayashi, M. See Y. Yoshino, 739
- He, Z. H., L. Liu, X. C. Zia, J. J. Liu, and R. J. Peña. Composition of HMW and LMW glutenin subunits and their effects on dough properties, pan bread, and noodle quality of Chinese bread wheats, 345  
—, See L. Xia, 38  
—, See Y. Zhang, 633
- Hendrix, S. B. See G. J. Ahlborn, 328
- Hess, W. M. See G. J. Ahlborn, 328
- Hicks, K. B. See B. S. Dien, 616  
—, See R. A. Flores, 727  
—, See P. Yang, 420
- Himmelsbach, D. S. See M. Sohn, 660
- Hong, M.-C. See C.-C. Liu, 649
- Hoseney, R. C. See V. Derycke, 468
- Huber, C. S. See G. J. Ahlborn, 328
- Hung, P. V., M. Yamamori, and N. Morita. Formation of enzyme-resistant starch in bread as affected by high-amylose wheat flour substitutions, 690
- Hwang, K. T., J. E. Kim, and C. L. Weller. Policosanol contents and compositions in wax-like materials extracted from selected cereals of Korean origin, 242
- Inglett, G. E. See S. Lee, 120, 717
- Izquierdo, L., and I. D. Godwin. Molecular characterization of a novel methionine-rich  $\delta$ -kafirin seed storage protein gene in sorghum (*Sorghum bicolor* L.), 706
- Izdorczyk, M. See D. W. Hatcher, 60
- Jackson, D. S. See S. Ozcan, 223  
—, See R. Yglesias, 695, 702
- Jamjod, S. See M. Leesawatwong, 588
- Johansson, E. See R. Kuktaité, 375
- Johnson, D. V., and V. Singh. Enzymatic milling product yield comparison with reduced levels of bromelain and varying levels of sulfur dioxide, 523
- Johnston, D. B. See B. S. Dien, 616  
—, See V. Singh, 187  
—, See P. Wang, 734
- Jones, B. L., and G. L. Lookhart. Comparison of endoproteases of various grains, 125
- Joseph, S. See F. P. Bejoso, 256
- Juhász, R., S. Gergely, T. Gelencsér, and A. Salgó. Relationship between NIR spectra and RVA parameters during wheat germination, 488
- Julson, J. L. See C. Y. Shukla, 34
- Kaletunç, G. See A. H. Barrett, 152
- Kay, M. G. See H. Belefant-Miller, 721
- Kays, S. E. See M. Sohn, 660
- Kelekci, N. N. See F. P. Bejoso, 256
- Kianian, S. F. See N. Vignaux, 93
- Kieffer, R. See H. Wieser, 594
- Kim, H. I. See S.-Y. Lee, 475
- Kim, J. E. See K. T. Hwang, 242
- Kim, J. H., T. Maeda, and N. Morita. Application of polished-graded wheat grains for sourdough bread, 144
- Kim, S. See S. Lee, 120
- Kinney, M. P. See S. Lee, 717
- Kobayashi, S. See T. Takahashi, 228
- Koseki, T. See M. Okuda, 361
- Kuktaité, R., H. Larsson, S. Marttila, and E. Johansson. Effect of mixing time on gluten recovered by ultracentrifugation studied by microscopy and rheological measurements, 375
- Kuo, J. See M. Leesawatwong, 588
- Kwansa, A. L. See D. E. LaCroix, 277
- Kwon, S., K. M. Chung, S. I. Shin, and T. W. Moon. Contents of indigestible fraction, water solubility, and color of pyroducts made from waxy sorghum starch, 101
- LaCroix, D. E., W. R. Wolf, and A. L. Kwansa. Rapid trichloroacetic acid extraction and liquid chromatography method for determination of nicotinamide in commercial cereals, 277
- Lagasse, S. See D. W. Hatcher, 60

- Lai, H.-M. See Y.-L. Chung, 131
- Landerito, N. A., and Y.-J. Wang. Preparation and properties of starch phosphates using waxy, common, and high-amylose corn starches. I. Oven heating, 264
- , and —. Preparation and properties of starch phosphates using waxy, common, and high-amylose corn starches. II. Reactive extrusion method, 271
- Larsson, H. See R. Kuktaite, 375
- Lawton, J. W. See A. Biswas, 1
- Lee, B.-H. See J.-A. Han, 88
- Lee, C.-C. See S.-D. Lin, 405
- Lee, F. N. See H. Belefant-Miller, 721
- Lee, S., S. Kim, and G. E. Inglett. Effect of shortening replacement with oatrim on the physical and rheological properties of cakes, 120
- , M. P. Kinney, and G. E. Inglett. Rheological characterization of a new oat hydrocolloid and its application in cake baking, 717
- Lee, S.-Y., K.-S. Woo, J.-K. Lim, H. I. Kim, and S.-T. Lim. Note: Effect of processing variables on texture of sweet potato starch noodles prepared in a nonfreezing process, 475
- Leesawatwong, M., S. Jamjod, J. Kuo, B. Dell, and B. Rerkasem. Nitrogen fertilizer increases seed protein and milling quality of rice, 588
- Lei, H., R. G. Fulcher, R. Ruan, and P. van Lengerich. Empirical modeling of die pressure, shaft torque, SME, and product temperature of rice flour in a corotating twin-screw extruder, 582
- , —, —, and —. SME-Arrhenius model for WSI of rice flour in a twin-screw extruder, 574
- Lein, V. See E. Lemelin, 28
- Lemelin, E., T. Aussenac, F. Violleau, L. Salvo, and V. Lein. Impact of cultivar and environment on size characteristics of wheat proteins using asymmetrical flow field-flow fractionation and multi-angle laser light scattering, 28
- Lenihan, E., L. Pollak, and P. White. Thermal properties of starch from exotic-by-adapted corn (*Zea mays* L.) lines grown in four environments, 683
- Leung, H. See A. H. Barrett, 152
- Leyne, E. See G. Mann, 626
- Li, Z. See G. Mann, 626
- Lim, J.-K. See S.-Y. Lee, 475
- Lim, S.-T. See J.-A. Han, 88
- , See S.-Y. Lee, 475
- Lim, W. J. See J.-A. Han, 88
- Lin, S.-D., and C.-C. Lee. Qualities of chiffon cake prepared with indigestible dextrin and sucralose as replacement for sucrose, 405
- Lindeboom, N., P. R. Chang, K. C. Falk, and R. T. Tyler. Characteristics of starch from eight quinoa lines, 216
- , R. T. Tyler, and R. N. Chibbar. Granule-bound starch synthase I (GBSSI) in quinoa (*Chenopodium quinoa* Willd.) and its relationship to amylose content, 246
- Liu, C.-C., J.-T. Shaw, K.-Y. Poong, M.-C. Hong, and M.-L. Shen. Classifying paddy rice by morphological and color features using machine vision, 649
- Liu, J. J. See Z. H. He, 345
- Liu, L. (Nanjing, China), H. Q. Zhai, and J.-M. Wan. Accumulation of  $\gamma$ -aminobutyric acid in giant-embryo rice grain in relation to glutamate decarboxylase activity and its gene expression during water soaking, 191
- Liu, L. (Beijing, China). See Z. H. He, 345
- Liu, S. X., and P. K. Mamidipally. Quality comparison of rice bran oil extracted with *d*-limonene and hexane, 209
- Lookhart, G. L. See B. L. Jones, 125
- Lopez, R. M. See F. P. Bejoso, 256
- Loponen, J. See K. Tuukkanen, 677
- Lugowska, B. See B. J. Dobraszczyk, 182
- Lullien-Pellerin, V. See V. Greffeuille, 138
- Lysenko, E. D. See O. Harada, 314
- Mabille, F. See M.-F. Samson, 81
- Maeda, T. See J. H. Kim, 144
- , See M. Miyazaki, 639
- Magnus, E. M. See A. Aamodt, 290
- Malcolmson, L. See C. Rhymer, 197
- Mamidipally, P. K. See S. X. Liu, 209
- Mann, G., E. Leyne, Z. Li, and M. K. Morell. Effects of a novel barley, Himalaya 292, on rheological and breadmaking properties of wheat and barley doughs, 626
- Manski, J. M., A. L. Matsler, and T. J. Siebenmorgen. Influence of storing rough rice with high moisture content on subsequent drying characteristics and milling quality, 204
- Marando, G. See A. H. Barrett, 152
- Marion, D. See J. Rouillé, 20
- Marttila, S. See R. Kuktaite, 375
- Matsler, A. L., and T. J. Siebenmorgen. Evaluation of operating conditions for surface lipid extraction from rice using a Soxtec system, 282
- , See J. M. Manski, 204
- McCarthy, D. F., E. Gallagher, T. R. Gormley, T. J. Schober, and E. K. Arendt. Application of response surface methodology in the development of gluten-free bread, 609
- McClung, A. M. See E. T. Champagne, 369
- McLean, R., K. M. O'Brien, L. E. Talbert, P. Bruckner, D. K. Habernicht, M. J. Guttieri, and E. J. Souza. Environmental influences on flour quality for sheeted noodle in Idaho 337s hard white wheat, 559
- McMullen, M. S. See N. Vignaux, 93
- Meerdink, G. L. See G. S. Murthy, 302
- Messerschmidt, M. See T. J. Schober, 394
- Meulenet, J.-F. C. See P. A. Counce, 645
- Mezones, Y. See M. Schnell, 77
- Mikola, M. See K. Tuukkanen, 677
- Miladinov, V. See Y. Xu, 336
- Mira, I., A.-C. Eliasson, and K. Persson. Effect of surfactant structure on the pasting properties of wheat flour and starch suspensions, 44
- Miura, M. See T. Takahashi, 228
- Miyazaki, M., T. Maeda, and N. Morita. Starch retrogradation and firming of bread containing hydroxypropylated, acetylated, and phosphorylated cross-linked tapioca starches for wheat flour, 639
- Moldenhauer, K. A. K. See P. A. Counce, 645
- Moon, T. W. See S. Kwon, 101
- Moreau, R. A. See R. Srinivasan, 528
- Morel, M. H. See G. Blancher, 158
- , See M.-F. Samson, 81
- Morell, M. K. See G. Mann, 626
- Mori, K. See T. Takahashi, 228
- Morita, N. See J. H. Kim, 144
- , See M. Miyazaki, 639
- , See P. V. Hung, 690
- Morris, C. F. See L. Xia, 38
- Mugford, D. C. See Y. Zhang, 633
- Murthy, G. S., D. E. Townsend, G. L. Meerdink, G. L. Bargren, M. E. Tumbelson, and V. Singh. Effect of aflatoxin B1 on dry-grind ethanol process, 302
- Muthukumarappan, K. See C. Y. Shukla, 34
- Mutters, R. See E. T. Champagne, 369
- Naidu, K. See V. Singh, 187
- Nam, S. See T. Beta, 390
- Ng, P. K. W. See A. H. Schmid, 305
- Nichols, N. N., B. S. Dien, Y. V. Wu, and M. A. Cotta. Ethanol fermentation of starch from field peas, 554
- , See Y. V. Wu, 341
- Niu, Y. See P. Yang, 420
- , See Z. Zhang, 447
- O'Brien, K. M. See R. McLean, 559
- Ohisa, N. See T. Takahashi, 228
- Ohtsubo, K. See H. Okadome, 414
- Okadome, H., H. Toyoshima, N. Shimizu, K. Suzuki, and K. Ohtsubo. Quality prediction of rice flour by multiple regression model with instrumental texture parameters of single cooked milled rice grains, 414
- Okuda, M., I. Aramaki, T. Koseki, H. Satoh, and K. Hashizume. Structural characteristics, properties, and in vitro digestibility of rice, 361
- Owoyomi, O. See M. S. Falade, 479
- Ozcan, S., and D. S. Jackson. Functionality behavior of raw and extruded corn starch mixtures, 223
- Pacheco de Delahaye, E. See M. Schnell, 77
- Park, S.-H., O. K. Chung, and P. A. Seib. Effects of varying weight ratios of large and small wheat starch granules on experimental straight-dough bread, 166
- , See T. J. Schober, 394
- Parkhurst, A. M. See R. Yglesias, 695
- Peña, R. J. See Z. H. He, 345
- Pepe, O., M. Anastasio, and F. Villani. Note: Improvement of frozen dough stability using a cryoresistant yeast strain and refreshment, 239
- , See A. Formato, 356
- Perona, M. J. See J. E. Byrd, 53
- Persson, K. See I. Mira, 44
- Peterson, K. L. See R. J. Bryant, 517
- Phillips, J. See R. A. Flores, 727
- Pike, O. A. See G. J. Ahlborn, 328
- Pollak, L. See E. Lenihan, 683
- Poong, K.-Y. See C.-C. Liu, 649
- Preston, K. R., H. Cordeiro, D. Sobering, and D. W. Hatcher. A rapid, high

- throughput micro sugar-snap cookie quality test procedure using asymmetrical centrifugal mixing, 15  
 —. See O. Harada, 314
- Puppo, M. C., A. Calvelo, and M. C. Añón. Physicochemical and rheological characterization of wheat flour dough, 173
- Quail, K. See Y. Zhang, 633
- Quinde-Axtell, Z., S. E. Ullrich, and B.-K. Baik. Genotypic and environmental effects on color and discoloration potential of barley in food products, 711
- Raboy, V. See R. J. Bryant, 517
- Raskin, L. M. See K. D. Rausch, 431
- Rausch, K. D., L. M. Raskin, R. L. Belyea, R. M. Agbisit, B. J. Daugherty, T. E. Clevenger, and M. E. Tumbleson. Phosphorus concentrations and flow in maize wet-milling streams, 431  
 —. See V. Singh, 187  
 —. See R. Srinivasan, 528  
 —. See P. Wang, 734
- Rerkasem, B. See M. Leesawatwong, 588
- Rhymer, C., N. Ames, L. Malcolmson, D. Brown, and S. Duguid. Effects of genotype and environment on the starch properties and end-product quality of oats, 197
- Richard, T. L. See K. A. Rosentrater, 436
- Rosell, C. M. See A. Bonet, 425
- Rosentrater, K. A., T. L. Richard, C. J. Bern, and R. A. Flores. Small-scale extrusion of corn masa by-products, 436
- Rossmagel, B. See D. W. Hatcher, 60
- Rouillé, J., G. Della Valle, M. F. Devaux, D. Marion, and L. Dubreil. French bread loaf volume variations and digital image analysis of crumb grain changes induced by the minor components of wheat flour, 20
- Ruan, R. See H. Lei, 574, 582
- Rutger, J. N. See R. J. Bryant, 517
- Salgó, A. See R. S. Juhász, 488
- Salmanowicz, B. P. See B. J. Dobraszczyk, 182
- Salovaara, H. See K. Tuukkanen, 677
- Salvo, L. See E. Lemelin, 28
- Samson, M.-F., F. Mabillet, R. Chéret, J. Abécassis, and M.-H. Morel. Mechanical and physicochemical characterization of vitreous and mealy durum wheat endosperm, 81
- Sapirstein, H. D. See T. Beta, 390
- Satoh, H. See M. Okuda, 361
- Schieberle, P. See C. Gellrich, 541
- Schmid, A. H., K. D. Dolan, and P. K. W. Ng. Effect of extruding wheat flour at lower temperatures on physical attributes of extrudates and on thiamin loss when using carbon dioxide gas as a puffing agent, 305
- Schnell, M., E. Pacheco de Delahaye, and Y. Mezones. Metabolic responses to Venezuelan corn meal and rice bran supplemented *arepas* breads, 77
- Schober, T. J., M. Messerschmidt, S. R. Bean, S.-H. Park, and E. K. Arendt. Gluten-free bread from sorghum: Quality differences among hybrids, 394  
 —. See D. F. McCarthy, 609
- Scholfield, D. J. See K. M. Behall, 654
- Scott, M. P., and S. A. Duvick. Identification of QLT controlling thermal properties of maize starch, 546
- Seguchi, M. See Y. Yoshino, 739
- Seib, P. A. See S.-H. Park, 166  
 —. See L. F. Zhao, 504
- Seilmeier, W. See H. Wieser, 594
- Sessa, D. J. See A. Biswas, 1
- Severini, C. See T. De Pilli, 494
- Shaw, J.-T. See C.-C. Liu, 649
- Shen, M.-L. See C.-C. Liu, 649
- Shimizu, N. See H. Okadome, 414
- Shin, S. I. See S. Kwon, 101
- Shukla, C. Y., K. Muthukumarappan, and J. L. Julson. Effect of single-screw extruder die temperature, amount of distillers' dried grains with solubles (DDGS), and initial moisture content on extrudates, 34
- Siebenmorgen, T. J. See P. A. Counce, 645  
 —. See J. M. Manski, 204  
 —. See A. L. Matsler, 282
- Singh, V., D. B. Johnston, K. Naidu, K. D. Rausch, R. L. Belyea, and M. E. Tumbleson. Comparison of modified dry-grind corn processes for fermentation characteristics and DDGS composition, 187  
 —. See B. S. Dien, 616  
 —. See D. B. Johnston, 523  
 —. See G. S. Murthy, 302  
 —. See R. Srinivasan, 528  
 —. See P. Wang, 734  
 —. See P. Yang, 420
- Sissons, M. J., N. E. Egan, and M. C. Gianibelli. New insights into the role of gluten on durum pasta quality using reconstitution method, 601  
 —. See M. C. Gianibelli, 321
- Sobering, D. See K. R. Preston, 15
- Sohn, M., D. S. Himmelsbach, S. E. Kays, D. D. Archibald, and F. E. Barton II. NIR-FT/Raman spectroscopy for nutritional classification of cereal foods, 660
- Sontag-Strohm, T. See K. Tuukkanen, 677
- Souza, E. J. See R. McLean, 559
- Srinivasan, R., R. A. Moreau, K. D. Rausch, R. L. Belyea, M. E. Tumbleson, and V. Singh. Separation of fiber from distillers dried grains with solubles (DDGS) using sieving and elutriation, 528
- Sun, A., C. B. Faulds, and C. W. Bamforth. Barley contains two cationic acetyl-xylan esterases and one anionic feruloyl esterase, 621
- Suzuki, K. See H. Okadome, 414
- Takahashi, T., M. Miura, N. Ohisa, K. Mori, and S. Kobayashi. Heat treatments of milled rice and properties of the flours, 228
- Talbert, L. E. See R. McLean, 559
- Taylor, J., J. R. N. Taylor, M. F. Dutton, and S. de Kock. Note: Glacial acetic acid—a novel food-compatible solvent for kafirin extraction, 485
- Taylor, J. R. N. See Y. B. Byaruhanga, 565  
 —. See L. S. da Silva, 9  
 —. See J. Taylor, 485
- Thompson, J. See E. T. Champagne, 369
- Townsend, D. E. See G. S. Murthy, 302
- Toyoshima, H. See H. Okadome, 414
- Tumbleson, M. E., and V. Singh. Effect of steeping with sulfite salts and adjunct acids on corn wet-milling yields and starch properties, 420  
 —. See G. S. Murthy, 302  
 —. See K. D. Rausch, 431  
 —. See V. Singh, 187  
 —. See R. Srinivasan, 528  
 —. See P. Wang, 734  
 —. See P. Yang, 420
- Tuukkanen, K., J. Lopenen, M. Mikola, T. Sontag-Strohm, and H. Salovaara. Degradation of secalins during rye sourdough fermentation, 677
- Tyler, R. T. See N. Lindeboom, 216, 246
- Ullrich, S. E. See Z. Quinde-Axtell, 711
- Vandeputte, G. E. See V. Derycke, 468
- van Lengerich, B. See H. Lei, 574, 582
- Vázquez, D. See M. Dalla Rizza, 287
- Veraverbeke, W. S. See V. Derycke, 468
- Vignaux, N., D. C. Doeblert, E. M. Elias, M. S. McMullen, L. A. Grant, and S. F. Kianian. Quality of spaghetti made from full and partial waxy durum wheat, 93
- Villani, F. See O. Pepe, 239
- Violleau, F. See E. Lemelin, 28
- Wan, J.-M. See L. L. Liu, 191
- Wang, N. Optimization of a laboratory dehulling process for lentil (*Lens culinaris*), 671
- Wang, P., V. Singh, L. Xu, D. B. Johnston, K. D. Rausch, and M. E. Tumbleson. Comparison of enzymatic (E-mill) and conventional dry-grind corn processes using a granular starch hydrolyzing enzyme, 734
- Wang, Y.-J. See D. K. Cameron, 113  
 —. See P. A. Counce, 645  
 —. See N. A. Landerito, 264, 271
- Waniska, R. D. See F. P. Bejosano, 256
- Weller, C. L. See K. T. Hwang, 242
- White, P. See E. Lenihan, 683
- Wieser, H., W. Seilmeier, R. Kieffer, and F. Altpeter. Flour protein composition and functional properties of transgenic rye lines expressing HMW subunit genes of wheat, 594  
 —. See C. Gellrich, 541
- Willett, J. L. See A. Biswas, 1
- Wilson, J. D. See D. B. Bechtel, 385
- Wolf, W. R. See D. E. LaCroix, 277
- Woo, K.-S. See S.-Y. Lee, 475
- Wu, Y. V., and N. N. Nichols. Fine grinding and air classification of field pea, 341  
 —. See N. N. Nichols, 554
- Xia, L., F. Chen, Z. He, X. Chen, and C. F. Morris. Occurrence of puroindoline alleles in Chinese winter wheats, 38
- Xia, X. C. See Z. H. He, 345
- Xu, L. See P. Wang, 734

- Xu, Y., V. Miladinov, and M. A. Hanna. Starch-acetate-maleate mixed ester synthesis and characterization, 336
- , J. Zhou, and M. A. Hanna. Melt-intercalated starch acetate nanocomposite foams as affected by type of organoclay, 105
- Yamamori, M. See P. V. Hung, 690
- Yang, P., A. E. Haken, Y. Niu, S. R. Chaney, K. B. Hicks, S. R. Eckhoff, M. E. Tumbleson, and V. Singh. Effect of steeping with sulfite salts and adjunct acids on corn wet-milling yields and starch properties, 420
- Yglesias, R., and D. S. Jackson. Evaluation of liquid nitrogen freeze drying and ethanol dehydration as methods to preserve partially cooked starch and masa systems, 702
- , A. M. Parkhurst, and D. S. Jackson. Development of laboratory techniques to mimic industrial-scale nixtamalization, 695
- Yoshino, Y., M. Hayashi, and M. Seguchi. Note: Presence and amounts of starch granule surface proteins in various starches, 739
- Zhai, H. Q. See L. L. Liu, 191
- Zhang, G., and B. R. Hamaker. Sorghum (*Sorghum bicolor* L. Moench) flour pasting properties influenced by free fatty acids and protein, 534
- Zhang, Y., K. Quail, D. C. Mugford, and Z. He. Milling quality and white salt noodle color of Chinese winter wheat cultivars, 633
- Zhang, Z., H. Feng, Y. Niu, and S. R. Eckhoff. Note: Starch recovery from degermed corn flour and hominy feed using power ultrasound, 447
- Zhao, L. F., and P. A. Seib. Alkaline-carbonate noodles from hard winter wheat flours varying in protein, swelling power, and polyphenol oxidase activity, 504
- Zhou, J. See Y. Xu, 105



## Subject Index to Volume 82

- Acacia seed, starch hydrolysis, antinutritional factors (Falade et al), 479  
 Acetic acid, glacial, for kafirin extraction (Taylor et al), 485  
 Acknowledgment of reviewers, iii  
 Aflatoxin, B1, effect on dry-grind ethanol process (Murthy et al), 302  
 Air classification, of field peas (Wu and Nichols), 341  
 Aleurone, layer fate; hard and soft common wheats at grain milling (Gref-feuille et al), 138  
 Alkaline, cooking; laboratory techniques mimic (Yglesias et al), 695  
 Amino acids  
 — $\gamma$ -aminobutyric acid to ameliorate blood pressure (Liu et al), 191  
 —sequences of  $\gamma$ -40k secalins of rye (Gellrich et al), 541  
 Amylose  
 —content; correlation with starch characteristics, quinoa (Lindeboom et al), 216  
 —starch synthase relation in quinoa (Lindeboom et al), 246  
 —strain chain starch (Behall and Scholfield), 654  
 Antioxidant  
 —activity; measure of ability to scavenge free radicals or to prevent oxidation of substrate (Beta et al), 390  
 —substances capable of delaying, retarding, or preventing oxidation process (Chen and Bergman), 4  
 Baking  
 —effect of HMW subunits (Wieser et al), 594  
 —flat bread; thin and thick, production with sponge and dough method (Amr and Ajo), 499  
 —quality; mixograph for rapid quality assessment of wheat cultivars, Poland (Dobraszczyk et al), 182  
 Barley  
 —estraces from (Sun et al), 621  
 —in food products; color and discoloration affected by environment (Quinde-Axtell et al), 711  
 —high-starch and high  $\beta$ -glucan fractions, experimental milling (Flores et al), 727  
 —hull-less flour, yellow alkaline noodles enriched with (Hatcher et al), 60  
 Bran, sorghum, kafirin films extracted from (da Silva and Taylor), 9  
 Bread  
 —corn, substitution of whole corn meal flour for wheat flour (Schnell et al), 77  
 —effects of weight ratios of large and small wheat starch granules (Park et al), 166  
 —French crumb; fineness of, loaf volume (Rouillé et al), 20  
 —gluten-free; effects of response surface methodology on (McCarthy et al), 609; quality differences from sorghum hybrids (Schober et al), 394; sensory, mechanical, and microscopic evaluation during staling (Ahlborn et al), 328  
 —hearth, baked without pan (Aamodt et al), 290  
 —high-amylose wheat flour substitution, increase of resistant starch (Hung et al), 690  
 —pocket-forming, sponge and dough improve quality and delay staling (Amr and Ajo), 499  
 —retrogradation and firmness of; quality of modified starches (Miyazaki et al), 639  
 —shelf-stable, different enzyme effect on textural stability of (Barrett et al), 152  
 —sponge and dough properties; effects of hydrolytic enzyme additives on (Harada et al), 314  
 —wheat; noodle quality of, HMW and LMW glutenin effect on (He et al), 345  
 Breadmaking  
 —high-amylose wheat flour substitution, quality of (Hung et al), 690  
 —sponge and dough method, for flat bread production, comparison with straight dough method (Amr and Ajo), 499  
 Bromelain, reduced levels of, compared with enzymatic milling product yield (Johnston and Singh), 523  
 Buckwheat, proteinases of germinated (Jones and Lookhart), 125  
 Cake  
 —baking; effect of oat  $\beta$ -glucan hydrocolloid on physical and rheological properties of (Lee et al), 717  
 —chiffon, sucrose substituted for indigestible dextrin and sucralose (Lin and Lee), 405  
 —effect of shortening replacement on physical and rheological properties of (Lee et al), 120  
 Celiac disease, symptoms and prevalence (McCarthy et al), 609  
 Cereal  
 —commercial, determination of nicotinamide in (LaCroix et al), 277  
 —food; Fourier transform Raman spectroscopy for nutritional classification (Sohn et al), 660  
 —Korean, policosanol in wax-like materials extracted from (Hwang et al), 242  
 Checklist for papers submitted, viii  
 Color  
 —classifying paddy rice by morphological and color features using machine vision (Liu et al), 649  
 —environmental effect on, barley in food products (Quinde-Axtell et al), 711  
 Cookies, sugar-snap, testing with asymmetrical centrifugal mixing (Preston et al), 15  
 Cooking, properties of rice; protein impact (Verycke et al), 468  
 Corn (see also Maize)  
 —conventional dry-grind, E-mill comparison with starch hydrolyzing enzyme (Wang et al), 734  
 —dry-grind, fermentation and DDGS compared (Singh et al), 187  
 —enzymatic dry-grind process, pericarp and endosperm fiber hydrolysis and fermentation (Dien et al), 616  
 —extruded, lipid oxidation retarded by antioxidant-rich foods (Camire et al), 666  
 —flour; ultrasound for starch recovery (Zhang et al), 447  
 —laboratory techniques to mimic industrial-scale nixtamalization (Yglesias et al), 695  
 —masa by-products; extrusion of (Rosentrater et al), 436  
 —thermal properties of starch from exotic-by-adapted lines grown in four environments (Lenihan et al), 683  
 —wet-milling yields and starch properties, steeping effect (Yang et al), 420  
 Corn meal, Venezuelan, by-product of rice polishing rich in antioxidants (Schnell et al), 77  
 Corn starch  
 —raw and extruded, functionality behavior of (Ozcan and Jackson), 223  
 —waxy, hydroxypropylated to retard retrogradation in Korean waxy rice cake (Han et al), 88  
 Cultivars, environmental effects on oat quality (Rhymer et al), 197  
 DDGS  
 —fiber separation from, using sieving and elutriation (Srinivasan et al), 528  
 —production, conventional dry-grind, E-mill comparison with starch hydrolyzing enzyme (Wang et al), 734  
 Dehulling, efficiency; lentil (Wang), 671  
 Differential scanning calorimetry  
 —analysis of starch properties of exotic-by-adapted corn grown in four environments (Lenihan et al), 683  
 —for determination of amount of frozen water in bread dough (Baier-Schenk et al), 251  
 Distillers' dried grains  
 —conventional dry-grind corn process (Wang et al), 734  
 —coproducts of ethanol industry (Shukla et al), 34  
 —with solubles; fermentation of dry-grind corn processes compared (Singh et al), 187  
 Dough  
 —freezing after fermentation (Baier-Schenk et al), 251  
 —frozen, stability improvement with cryoresistant yeast strain and refreshment (Pepe et al), 239  
 —properties: HMW and LMW glutenin effect on (He et al), 345; of reconstituted components incorporating waxy starch (Gianibelli et al), 321  
 —wheat and barley, rheological and breadmaking properties of novel barley (Mann et al), 626  
 —wheat flour: rheological and structural properties of, mixing time effect (Puppo et al), 173  
 Dry-Grind  
 —conventional dry-grind, E-mill comparison with starch hydrolyzing enzyme (Wang et al), 734  
 Drying  
 —rough rice storage effect on (Manski et al), 204

- wheat endosperm structural changes during maturation (Bechtel and Wilson), 385
- Elutriation, to separate fiber from DDGS (Srinivasan et al), 528
- Emulsifier, fatty fraction retention during fatty flour extrusion (De Pilli et al), 494
- Endosperm
  - durum wheat, mechanical and physicochemical characterization of (Samson et al), 81
  - fibers; recovery from enzymatic corn dry-grind process (Dien et al), 616
  - rice, induction of postharvest yellowing of (Belefant-Miller), 721
  - structural changes during drying of wheat caryopses (Bechtel and Wilson), 388
  - wheat, determination of surface tension properties (Blancher et al), 158
- Enrichment, hull-less barley flour for yellow alkaline noodles (Hatcher et al), 60
- Environment
  - effect on color and discoloration potential of barley in food products (Quinde-Axtell et al), 711
  - impact on thermal properties of starch from exotic-by-adapted corn lines grown in four environments (Lenihan et al), 683
- Enzyme(s)
  - additives; effect on Japanese-style sponge and dough bread properties (Harada et al), 314
  - digestibility of steamed rice grains (Okuda et al), 361
  - effect on textural stability of shelf-stable bread (Barrett et al), 152
  - granular starch hydrolyzing, comparison of E-mill and conventional dry-grind corn processes (Wang et al), 734
  - increase of glutamate decarboxylase activity during water soaking (Liu et al), 191
  - transglutaminase effect on dough properties (Bonet et al), 425
- Errata
  - vol. 81, no. 2, pp. 177-181 (2004), 238
  - vol. 81, no. 2, pp. 582-588 (2004), 111
  - vol. 81, no. 2, pp. 741-745 (2004), 111
- Estrases, acetylxylin and feruloyl, from barley (Sun et al), 621
- Ethanol
  - dry-grind process; aflatoxin B1 effect (Murthy et al), 302
  - fermentation of field pea starch (Nichols et al), 554
  - production, conventional dry-grind, E-mill comparison with starch hydrolyzing enzyme (Wang et al), 734
- Extrudate, properties; product functional qualities including expansion, density, WSI, and WAI (Lei et al), 574
- Extrusion
  - effect of extruder die temperature and product moisture on extrudates (Shukla et al), 34
  - effect on thiamin in wheat flour with injected CO<sub>2</sub> gas (Schmid et al), 305
  - of fatty flours; emulsifiers to retain fatty fraction (De Pilli et al), 494
  - process and modeling to establish relation between variables (Lei et al), 582
  - processing of corn masa by-products (Rosentrater et al), 436
  - starch phosphates from common, waxy, and high-amylose corn starches (Landerito and Wang), 271
  - twin-screw process with conveying, mixing, melting, and cooking (Lei et al), 574
- Falling Number, reduced wheat meal sample size impact on (Hatcher), 450
- Fermentation
  - dry-grind corn processes compared with DDGS composition (Singh et al), 187
  - ethanol, field pea starch (Nichols et al), 554
  - of rye sourdough, secalin degradation during (Tuukkanen et al), 677
- Fiber
  - from corn meal (Behall and Scholfield), 654
  - recovery from enzymatic corn dry-grind process (Dien et al), 616
  - separation from DDGS using sieving and elutriation (Srinivasan et al), 528
- Films
  - kafirin and zein, properties of (da Silva and Taylor), 9
  - starch, water-barrier properties evaluated by MRI (Chung and Lai), 131
- Flavor, drain and harvest dates, rice sensory and physicochemical properties (Champagne et al), 369
- Flour
  - fatty, extrusion, emulsifiers to retain fatty fraction (De Pilli et al), 494
  - fractionation and reconstitution (Rouillé et al), 20
  - polished, sourdough and sourbread made from (Kim et al), 144
  - protein analysis; improved resolution of non-silica-based SE-HPLC column (Dalla Rizza et al), 287
  - protein composition and functional properties of rye lines (Wieser et al), 594
  - quality; environmental influences on, for noodles (McLean et al), 559
  - rapid microassay to determine peroxidase in (Hatcher and Barker), 233
  - soft wheat, quality test for sugar-snap cookies (Preston et al), 15
  - wheat, determination of surface tension properties (Blancher et al), 158
  - whole grain, pasting properties, effect of free fatty acids and protein (Zhang and Hamaker), 534
- Fractionation, asymmetrical flow field-flow of wheat proteins (Lemelin et al), 28
- Functionality, behavior of raw and extruded corn starch mixtures (Ozcan and Jackson), 223
- Germination, wheat detection by NIR and RVA (Juhász et al), 488
- β-Glucan, barley fractions; experimental milling (Flores et al), 727
- Gluten
  - composition; effect of transglutaminase (Bonet et al), 425
  - mixing time effect on, ultracentrifugation studied by microscopy and rheology (Kuktaite et al), 375
  - role in durum pasta quality using reconstitution method (Sissons et al), 601
  - wheat, determination of surface tension properties (Blancher et al), 158
  - Glutenin, molecular weight of (Lemelin et al), 28
- Hardness, of long-grain rice; factors affecting (Cameron and Wang), 113
- HPLC, column; improved resolution wheat flour protein analyses (Dalla Rizza et al), 287
- Image analysis, of bread crumb (Rouillé et al), 20
- Instructions to authors, v
- Kafirin
  - characterization of high methionine (Izquierdo and Godwin), 706
  - extraction; glacial acetic acid for (Taylor et al), 485
  - film properties from (da Silva and Taylor), 9
  - films; functional properties affected by microwave heating of kafirin (Byaruhanga et al), 565
- Legumes, milling and air classification of field peas (Wu and Nichols), 341
- Lentil, optimization of laboratory dehulling process for (Wang), 671
- Lipid
  - oxidation in extruded corn; retardation by antioxidant-rich foods (Camire et al), 666
  - surface extraction from rice; Soxtec system for evaluation (Matsler and Siebenmorgen), 282
- Maize (see also Corn)
  - starch; identification of quantitative trait loci thermal properties (Scott and Duvick), 546
  - wet-milling streams; phosphorus concentrations and flow in (Rausch et al), 431
- Masa, preservation; liquid nitrogen freeze drying and ethanol dehydration (Yglesias and Jackson), 702
- Method, liquid chromatography for determination of nicotinamide in commercial cereals (LaCroix et al), 277
- Microassay, to determine peroxidase in wheat and flour (Hatcher and Barker), 233
- Microscopy, measurements; mixing time effect on gluten, ultracentrifugation studied by (Kuktaite et al), 375
- Microwave
  - heating; effect on functional properties of kafirin films (Byaruhanga et al), 565
  - reaction of zein and octenyl succinic anhydride (Biswas et al), 1
- Milling
  - enzymatic, product yield comparison with levels of bromelain and SO<sub>2</sub> (Johnston and Singh), 523
  - of field peas; effect of grinding intensity (Wu and Nichols), 341
  - fractionation to obtain botanical parts of cereal grains (Beta et al), 390
  - grain; of hard and soft common wheats, aleurone layer fate (Greffeuille et al), 138
  - quality; of Chinese winter wheat cultivars (Zhang et al), 633; rough rice storage effect on (Manski et al), 204
  - of rice, night temperature effect (Counce et al), 645
- Mineral, content in low phytic acid mutant rice (Bryant et al), 517
- Mixing, asymmetrical centrifugal, for cookie quality test (Preston et al), 15
- Mixograph, for rapid quality assessment of wheat cultivars, Poland (Dobraszczyk et al), 182
- MRI, evaluation of water-barrier properties of starch films (Chung and Lai), 131
- Nicotinamide, determination of in commercial cereals (LaCroix et al), 277
- NIR, spectroscopy; detection of germination, RVA relation (Juhász et al), 488
- Nitrogen, fertilizer; increases rice seed protein and milling quality (Leesawatwong et al), 588

## Nixtamalization

- industrial-scale, laboratory techniques to mimic (Yglesias et al), 695
- masa preservation, liquid nitrogen freeze drying and ethanol dehydration (Yglesias and Jackson), 702

NMR spectroscopy, assessment of changes in chemical structure of starch acetate-maleate (Xu et al), 336

## Noodles

- Asian, environmental influences on flour quality for, Idaho HWW (McLean et al), 559
- Chinese dry white quality, HMW and LMW glutenin effect on (He et al), 345
- color of Chinese winter wheat cultivars (Zhang et al), 633
- sweet potato starch, processing effect on texture (Lee et al), 475
- yellow alkaline, enriched with hull-less barley flour (Hatcher et al), 60

## Nutrition

- cereal food classification with Fourier transform spectroscopy (Sohn et al), 660
- novel grain effect on cardiovascular, gastrointestinal, and metabolic health (Mann et al), 626
- quality in low phytic acid mutant rice (Bryant et al), 517

## Oat

- development of new  $\beta$ -glucan hydrocolloid (Lee et al), 717
  - effects of genotype and environment on starch and end-product quality (Rhymer et al), 197
  - proteinases of germinated (Jones and Lookhart), 125
- Oatrim, shortening replacement in baked products (Lee et al), 120
- Optimization, dehulling conditions, lentil (Wang), 671
- Oxidation, lipid, in extruded corn; retardation by antioxidant-rich foods (Camire et al), 666

Parboiling, changes of pasting and cooking properties (Verycke et al), 468

Pasta, quality: made from waxy durum wheat (Vignaux et al), 93; role of gluten quantity and strength (Sissons et al), 601; waxy starch quality effect (Gianibelli et al), 321

Pasting properties, surfactant effect on (Mira et al), 44

PCA, factor function on data matrix with two principal components (Formato and Pepe), 356

Pea, field, fermentation of starch (Nichols et al), 554

Pellet durability test, composition effect (Cavalcanti and Behnke), 455, 462

Pelleting of feed, influence of composition on pellet durability (Cavalcanti and Behnke), 455, 462

Phenolic, compounds; diverse group of (Beta et al), 390

Phytochemical, compounds produced in plants with biological activities (Chen and Bergman), 4

Physicochemical properties, heat treatments of milled rice (Takahashi et al), 228

Pizza dough, differentiation by principal component analysis (Formato and Pepe), 356

Policosanol, in grain sorghum, rice, wheat, and maize (Hwang et al), 242

Polyphenol oxidase, discoloring of alkaline noodle (Zhao and Seib), 504

Popcorn, kinetics of popping (Byrd and Perona), 53

Protein, analysis; improved resolution of non-silica-based SE-HPLC column (Dalla Rizza et al), 287

## Protein

- content: and quality; size distribution effect on hearth bread (Aamodt et al), 290; relationship to alkaline noodle quality (Zhao and Seib), 504
  - effect on sorghum flour pasting properties (Zhang and Hamaker), 534
  - enrichment from field peas (Wu and Nichols), 341
  - nitrogen fertilizer increases milling quality of rice (Leesawatwong et al), 588
  - nonparboiled and parboiled rice (Verycke et al), 468
  - presence in starch granule channels (Han et al), 351
  - quality in sorghum (Izquierdo and Godwin), 706
  - reaction of zein and octenyl succinic anhydride (Biswas et al), 1
  - starch granule surface, in starches, presence and amounts from staining and dye-binding (Yoshino et al), 739
- Proteinases, of germinated grains (Jones and Lookhart), 125

## Quinoa

- starch characteristics (Lindeboom et al), 216
- starch synthase in, relation to amylose content (Lindeboom et al), 246

Reconstitution, to assess impact of gluten on pasta quality (Sissons et al), 601

Response surface methodology, optimizing a formulation (McCarthy et al), 609

## Retrogradation

- of gelatinized native rice starches and their blends (Hagenimana and Ding), 70
- retard of hydroxypropylated waxy rice and corn starches in Korean waxy

rice cake (Han et al), 88

—tapioca starches, effect on firmness and bread staling (Miyazaki et al), 639

Rheological behavior, surfactant effect on starch pasting (Mira et al), 44

## Rheological properties

—of low-protein and gluten-free breads during staling (Ahlborn et al), 328

—of oat  $\beta$ -glucan hydrocolloid suspensions (Lee et al), 717

## Rheology

- of cakes containing different levels of shortening and Oatrim (Lee et al), 120
- to determine tortilla properties during storage (Bejosano et al), 256
- measurements; mixing time effect on gluten, ultracentrifugation studied by (Kuktaite et al), 375

## Rice

- endosperm; postharvest yellowing of, induction (Belefant-Miller), 721
- flour: product temperature of, twin-screw extrusion modeling (Lei et al), 582; texture of cooked rice, viscosity prediction and rheological properties of (Okadome et al), 414; water solubility of in twin-screw extruder (Lei et al), 574
- flour and milled; chemical compositions, physicochemical properties, and leaching characteristics in relation to hardness and stickiness (Cameron and Wang), 113
- grain; change of  $\gamma$ -aminobutyric acid in giant embryo during water soaking (Liu et al), 191
- heat treatments and properties of (Takahashi et al), 228
- milling quality; increased by nitrogen fertilizer (Leesawatwong et al), 588
- night temperature effect during grain development (Counce et al), 645
- paddy, classifying by morphological and color features using machine vision (Liu et al), 649
- phytic acid and mineral content in grains of low phytic acid mutant (Bryant et al), 517
- protein impact on pasting and cooking properties (Verycke et al), 468
- proteinases of germinated (Jones and Lookhart), 125
- rough with high moisture content, storage (Manski et al), 204
- sensory and physicochemical properties; effects of drain and harvest dates (Champagne et al), 369
- Sotex system for evaluation of surface lipid extraction (Matsler and Siebenmorgen), 282
- structural characteristics, properties, and digestibility of (Okuda et al), 361
- waxy starch, hydroxypropylated to retard retrogradation in Korean waxy rice cake (Han et al), 88

## Rice bran

- by-product of rice milling process, aleurone layer and germ (Chen and Bergman), 4
- oil extracted from; with *d*-limonene and hexane, quality comparison (Liu and Mamidipally), 209
- Venezuelan, by-product of rice polishing rich in antioxidants (Schnell et al), 77

RVA, relation with NIR spectra during wheat germination (Juhász et al), 488

## Rye

- partial amino acid sequences of  $\gamma$ -40k secalins of (Gellrich et al), 541
- proteinases of germinated (Jones and Lookhart), 125
- sourdough; secalin degradation during fermentation (Tuukkanen et al), 677
- transgenic lines, flour protein composition and functional properties of (Wieser et al), 594

## Scanning electron microscopy

- cryo, utilization to locate ice crystals in bread dough (Baier-Schenk et al), 251
  - of low-protein and gluten-free breads during staling (Ahlborn et al), 328
- SDS-PAGE, of microwaved kafirin; kafirin films and their digestive residues (Byaruhanga et al), 565

## SE-HPLC

—improved resolution of non-silica-based column for wheat flour protein analyses (Dalla Rizza et al), 287

Sieving, to separate fiber from DDGS (Srinivasan et al), 528

## Sorghum

- flouring pasting properties; effect of free fatty acids and protein (Zhang and Hamaker), 534
- high methionine kafirin (Izquierdo and Godwin), 706
- hybrids; gluten-free bread quality (Schober et al), 394
- milling fractions; kafirin films from (da Silva and Taylor), 9
- proteinases of germinated (Jones and Lookhart), 125

## Sourbread

- improving loaf volume and staleness, by polished wheat flours (Kim et al), 144
  - from polished and graded flours (Kim et al), 144
  - rye, secalin degradation during fermentation (Tuukkanen et al), 677
- Spaghetti, quality of, made from waxy durum wheat (Vignaux et al), 93
- Spectroscopy, Fourier transform Raman, for cereal nutritional classification (Sohn et al), 660



## Staling

- of low-moisture and gluten-free breads (Ahlborn et al), 328
- of tortillas; through sensory evaluation and rheology (Bejosano et al), 256

## Starch

- amylose, total starch, pasting and thermal properties of oats (Rhymer et al), 197
- barley fractions; experimental milling (Flores et al), 727
- branching; night temperature effect (Counce et al), 645
- characteristics; from eight quinoa lines (Lindeboom et al), 216
- enrichment from field peas (Wu and Nichols), 341
- field pea, fermentation (Nichols et al), 554
- films; water-barrier properties of (Chung and Lai), 131
- granular hydrolyzing enzyme, comparison of E-mill and conventional dry-grind corn processes (Wang et al), 734
- granule surface proteins in various, staining and dye-binding (Yoshino et al), 739
- granules; channel proteins (Han et al), 351
- high-amylose; contains approximately 70% amylose as opposed to normal starch (25% amylose) (Xu et al), 336; in Himalaya 292 (Mann et al), 626
- hydroxypropylated, acetylated, and cross-linked, effect on starch retrogradation and bread firming (Miyazaki et al), 639
- maize, identification of quantitative trait loci thermal properties (Scott and Duvick), 546
- native rice, hydration properties (Hagenimana and Ding), 70
- phosphates; by oven heating and from common, waxy, and high-amylose corn starches (Landerito and Wang), 264; preparation and properties (Landerito and Wang), 271
- preservation; liquid nitrogen freeze drying and ethanol dehydration (Yglesias and Jackson), 702
- properties; steeping effect (Yang et al), 420
- recovery; discussed as novel method (Zhang et al), 447
- resistant, increase of, storage of bread baked from high-amylose wheat flour (Hung et al), 690
- structure and retrogradation; rice (Okuda et al), 361
- sweet potato noodles, processing effect on texture (Lee et al), 475
- swelling; relationship of wheat-flour swelling to cooking quality of alkaline noodle (Zhao and Seib), 504
- synthase; in quinoa, relation to amylose content (Lindeboom et al), 246
- thermal properties from exotic-by-adapted corn lines grown in four environments (Lenihan et al), 683
- waxy, effect on pasta quality (Gianibelli et al), 321
- Stargen 001, granular starch hydrolyzing enzyme (Wang et al), 734
- Steeping, effect on corn wet-milling yields and starch properties (Yang et al), 420
- Storage
  - low temperature effect on native rice starch gels (Hagenimana and Ding), 70
  - protein, formation of wheat endosperm protein matrix during grain drying (Bechtel and Wilson), 385
  - temperature; effects on moisture content of rough rice (Manski et al), 204
- Sulfur dioxide, varying levels of, compared with enzymatic milling product yield (Johnston and Singh), 523
- Surfactant, effect on starch pasting (Mira et al), 44
- Sweet potato, starch noodles; processing effect on texture (Lee et al), 475
- Textural stability, shelf-stable bread; different enzyme effect (Barrett et al), 152
- Texture, rice sensory and physicochemical properties (Champagne et al), 369;

instrumental evaluation of cooked oatmeal and starch gel (Rhymer et al), 197

Thermal gelatinization, of maize starch, quantitative trait loci identification (Scott and Duvick), 546

Thermal properties, genotype and environmental effects on oat starch (Rhymer et al), 197

Thiamin, loss in extruded wheat flour with injected CO<sub>2</sub> gas (Schmid et al), 305

Tortillas, methods of evaluation during storage (Bejosano et al), 256

Triticale, proteinases of germinated (Jones and Lookhart), 125

Ultracentrifugation, mixing time effect on gluten, microscopy and rheology (Kuktaite et al), 325

Ultrasound, new technology to recover starch (Zhang et al), 447

## Viscosity

—genotype and environment effects on oat flour and starch paste viscosity as shown by RVA (Rhymer et al), 197

—pasting properties of individual rice starches and their mixtures assessed by MVAG (Hagenimana and Ding), 70

Vitreous properties, of durum wheat endosperm (Samson et al), 81

Water, amount of ice in frozen dough (Baier-Schenk et al), 251

Wax-like material, in grain sorghum, rice, wheat, and maize (Hwang et al), 242

Wet-milling, process to refine starch from maize and other cereal grain (Rausch et al), 431

## Wheat

—cereal grain (Beta et al), 390

—Chinese winter: cultivars, milling color and noodle color (Zhang et al), 633; puroindoline alleles in (Xia et al), 38

—durum, mechanical and physicochemical characterization of (Samson et al), 81

—endosperm structural changes during drying of caryopses (Bechtel and Wilson), 385

—endosperms, flours, glutes; determination of surface tension properties (Blancher et al), 158

—flour: extruded (Schmid et al), 305; protein analysis; improved resolution of non-silica-based SE-HPLC column (Dalla Rizza et al), 287; and starch; surfactant effect on starch pasting (Mira et al), 44

—hard: and soft, aleurone layer fate at grain milling (Greffeuille et al), 138; white, environmental influences on flour quality for noodles (McLean et al), 559

—insect-damaged, gluten functionality restored by transglutaminase (Bonet et al), 425

—meal sample size; impact on Falling Number test (Hatcher), 450

—and other grains; proteinases of (Jones and Lookhart), 125

—proteins; cultivar and environment impact on size (Lemelin et al), 28

—rapid microassay to determine peroxidase in (Hatcher and Barker), 233

—soft, quality test for sugar-snap cookies (Preston et al), 15

—waxy durum, spaghetti quality made from (Vignaux et al), 93

Yeast, cryoresistant strain, to improve frozen dough stability (Pepe et al), 239

## Zein

—properties of kafirin and zein films compared (da Silva and Taylor), 9

—reaction with octenyl succinic anhydride (Biswas et al), 1